




PLYWOOD · BLOCKBOARD · FLUSH DOORS

**Built in layers.
Made to last.**

20 year warranty
Incor Prime

10 year warranty
Incor Select

21 year warranty
Incor Doors

Quality craftsmanship and innovation, since 2015.

Incor Ply makes plywood, blockboard and flush doors for residential, commercial and industrial interiors. Founded in 2015 by Abhishek Sharma, we focus on three things: durability, innovation and customer trust.

Every sheet starts with selected logs and preservative-treated veneers, is pressed with high-pressure bonding, and is checked before it leaves our factory. The result is wood that stays flat, holds its fixings and resists moisture and termites.



“ We don’t just manufacture plywood and doors. We build strength, safety and trust.

THE INCOR PROMISE

INCOR AT A GLANCE

2015

Founded

3

Product series

14

Products in the range

21 yrs

Longest warranty, on Incor Doors

Six reasons to build with Incor.



Boiling water proof

BWP-grade bonding on Incor Prime and Incor Doors stands up to kitchens, bathrooms and wet areas. Select is BWR grade, for interiors.



Termite & borer resistant

Logs and veneers are preservative-treated, and every Incor product is anti-fungal, protecting your furniture from the inside out.



Calibrated & warp free

Calibrated plywood with an even thickness, and warp-free boards and doors, for clean joinery and flat, stable surfaces.



ISI marked

Made to Indian Standards: IS 710 for Prime plywood, IS 303 for Select plywood, IS 1659 for blockboard and IS 2202 for flush doors.



Warranty up to 21 years

10 years on Incor Select, 20 years on Incor Prime and 21 years on Incor Doors.




Strong screw holding

Dense, high-pressure-bonded cores hold hinges and fittings firmly, which is why carpenters choose Incor.



Cross-laminated for strength that lasts.

Each veneer is laid at right angles to the one below it. Alternating the grain balances the forces inside the sheet, so Incor plywood stays flat, resists splitting and holds its fixings firmly.



How it's made

LOG TO FINISHED SHEET

01 Select High-density veneers peeled from selected logs.	02 Treat Logs preservative-treated in water before peeling.	03 Lay up Veneers cross-laid around an alternate hardwood core.	04 Press Bonded under high pressure with Xpress Technology.	05 Calibrate & test Sanded to an even thickness and quality-checked.
---	---	---	---	--

GRADE

BWP • Boiling Water Proof

For kitchens, bathrooms and areas exposed to water.

Incor Prime • Incor Doors

GRADE

BWR • Boiling Water Resistant

For interior furniture, wardrobes and panelling.

Incor Select

Three series. Fourteen products.



INCOR PRIME

20 YEARS WARRANTY

Incor Prime

Plywood & blockboard · BWP

20 yr warranty p. 05–06



INCOR SELECT

10 YEARS WARRANTY

Incor Select

Plywood & blockboard · BWR

10 yr warranty p. 07–08



INCOR DOORS

20 YEARS WARRANTY

Incor Doors

Flush doors · BWP

21 yr warranty p. 09–10

Product list

QUOTE THE SKU WHEN ORDERING

SKU	PRODUCT	THICKNESS	GRADE	STANDARD	WARRANTY
Incor Prime					
INC-PLY-020	Incor Prime Plywood	18 mm	BWP	IS 710	20 years
INC-PLY-021	Incor Prime Plywood	12 mm	BWP	IS 710	20 years
INC-PLY-022	Incor Prime Plywood	9 mm	BWP	IS 710	20 years
INC-PLY-023	Incor Prime Plywood	6 mm	BWP	IS 710	20 years
INC-BLB-120	Incor Prime Blockboard	19 mm	BWP	IS 1659	20 years
Incor Select					
INC-PLY-010	Incor Select Plywood	18 mm	BWR	IS 303	10 years
INC-PLY-011	Incor Select Plywood	12 mm	BWR	IS 303	10 years
INC-PLY-012	Incor Select Plywood	9 mm	BWR	IS 303	10 years
INC-PLY-013	Incor Select Plywood	6 mm	BWR	IS 303	10 years
INC-BLB-110	Incor Select Blockboard	19 mm	BWR	IS 1659	10 years
Incor Doors					
INC-FLD-210	Incor Flush Door	30 mm	BWP	IS 2202	21 years
INC-FLD-211	Incor Flush Door	32 mm	BWP	IS 2202	21 years
INC-FLD-212	Incor Flush Door	35 mm	BWP	IS 2202	21 years
INC-FLD-213	Incor Flush Door	38 mm	BWP	IS 2202	21 years



Prime Plywood

IS 710 · BWP GRADE · CALIBRATED

20

YEAR
WARRANTY

High-density core veneers are peeled from selected logs and preservative-treated before peeling. Xpress Technology presses each sheet to superior density and hardness, and boiling water proof bonding keeps it strong in kitchens and wet areas.

- ✓ Boiling water proof (BWP) bonding
- ✓ Calibrated, with an alternate hardwood core
- ✓ Glue Line Protection & Vira Safe technology
- ✓ Termite, borer & fungus resistant
- ✓ Strong screw holding

THICKNESSES

18 mm

INC-PLY-020

12 mm

INC-PLY-021

9 mm

INC-PLY-022

6 mm

INC-PLY-023

SHEET SIZES (FT)

8 × 4 · 7 × 4 · 6 × 4

8 × 3 · 7 × 3 · 6 × 3

IDEAL FOR

Kitchens

Bathroom vanities

Wardrobes

Furniture

IS : 710



Size: 2.44 x 1.22

Grade: BWP
Type: AA
Thickness: 18mm
MFG Date:
Batch No:

INCOR® PRIME




Every sheet carries the Incor Prime stamp: ISI mark, grade, thickness and batch number.



Prime Blockboard

IS 1659 · BWP GRADE · NEW ZEALAND PINE CORE

20
YEAR
WARRANTY



Selected face veneers over a core of seasoned New Zealand pine, treated against borer, termite and fungi. Gap-free and dimensionally stable, it is built for load-bearing furniture.

- ✓ Boiling water proof (BWP) bonding
- ✓ Bend free & warp free
- ✓ Gap-free, excellent screw holding
- ✓ Termite, borer & fungus resistant

THICKNESS

19 mm
INC-BLB-120

SHEET SIZES (FT)

8 × 4 · 7 × 4 · 6 × 4
8 × 3 · 7 × 3 · 6 × 3

IDEAL FOR

Wardrobes

Beds

Shelving

Tabletops



Select Plywood

IS 303 · BWR GRADE · CALIBRATED



Preservative-treated core veneers, bonded with boiling water resistant resin and calibrated for an even thickness across the sheet. A dependable choice for everyday interior furniture and panelling.

- ✓ Boiling water resistant (BWR) bonding
- ✓ High moisture resistance
- ✓ Calibrated plywood
- ✓ Termite, borer & fungus resistant

THICKNESSES

18 mm

INC-PLY-010

12 mm

INC-PLY-011

9 mm

INC-PLY-012

6 mm

INC-PLY-013

SHEET SIZES (FT)

8 × 4 · 7 × 4 · 6 × 4

8 × 3 · 7 × 3 · 6 × 3

IDEAL FOR

Wardrobes

Furniture

Wall panelling

Storage units



Every sheet carries the Incor Select stamp: ISI mark, grade, thickness and batch number.




Select Blockboard

IS 1659 · BWR GRADE · POPLAR CORE

10

YEAR
WARRANTY



A seasoned poplar core between selected face veneers, made with Warp Free Technology to stay flat. A light, stable board for furniture and interior panelling.

- ✓ Boiling water resistant (BWR) bonding
- ✓ High moisture resistance
- ✓ Bend free & warp free
- ✓ Termite, borer & fungus resistant

THICKNESS

19 mm

INC-BLB-110

SHEET SIZES (FT)

8 × 4 · 7 × 4 · 6 × 4

8 × 3 · 7 × 3 · 6 × 3

IDEAL FOR

Shelving

TV units

Study tables

Partitions



Incor Flush Doors

IS 2202 · BWP GRADE



Our longest warranty, on every Incor flush door.

A solid pine frame and accurately placed battens give each door dimensional stability, strength and a flawless finish. BWP-grade phenol formaldehyde resin protects every bond against moisture and changing weather.

- ✓ 100% New Zealand pine frame & filler
- ✓ Boiling water proof, indoor & outdoor
- ✓ Warp free, zero gap, smooth surface
- ✓ High screw holding & shock resistance
- ✓ Termite, borer & fungus resistant


THICKNESSES

30 mm INC-FLD-210	32 mm INC-FLD-211
35 mm INC-FLD-212	38 mm INC-FLD-213

STANDARD SIZES (INCHES)

Length	78	82	93						
Width	24	27	30	33	36	39	42	45	

Engineered from the inside out.



Test results

TESTED TO IS 2202

TEST	REQUIREMENT	RESULT
Dimension	L ±5 mm, W ±5 mm, T ±1 mm	Within limits
Squareness	Deviation ≤ 1 mm on 500 mm	≈ 1 mm
General flatness	Twist / warp ≤ 6 mm	Within limits
Local planeness	Deviation depth ≤ 0.5 mm	Within limits
Impact indentation	Indentation ≤ 0.2 mm	Within limits
Edge loading	Deflection ≤ 10 mm	Within limits
Shock resistance	No visible defects	None visible
Buckling	Initial deflection < 50 mm	Within limits
Slamming	No visible damage	None visible
Misuse	No deformation	No deformation
Varying humidity	No warping, twisting or delamination	None observed
End immersion	No delamination	No delamination
Knife test	Minimum pass standard	Excellent
Glue adhesion	No delamination	No delamination
Screw withdrawal	Load > 1000 N	> 1000 N

PLYWOOD · BLOCKBOARD · FLUSH DOORS

Building trust with every sheet.

Choose Incor for premium quality, long-lasting performance
and peace of mind.

CALL **+91 70119 19236**
EMAIL **info@incorply.in**
WEB **www.incorply.in**



Scan to visit our website